Maine Weekly Influenza Surveillance Report


November 13, 2018


For MMWR week 45 (ending 11/10/2018)

Federal Flu Code: Sporadic


Surveillance Information – Maine, 2018-2019 Influenza Season

- Number of ILINet Providers reporting: 44
 - o % of visits for Influenza-Like Illness (ILI): 1.0
- Syndromic Surveillance
 - % of Emergency Room visits for ILI: 1.36
 - % of Emergency Medical Services (EMS) runs for ILI: 0.9





Syndromic Surveillance data for ILI - Maine, 2017 -19



Influenza Hospitalizations

• # of hospitalizations: 0

180 160 of hospitalizations 140 120 80 60 40 42 46 48 50 52 6 10 12 14 16 18 MMWR Week

--- 2017-18


2018-19

Influenza Hospitalizations - Maine, 2017-19

Pneumonia and Influenza (P&I) Deaths

- % of deaths due to P&I: 7.8
- # influenza deaths reported this week: 0
- Total influenza deaths this season: 0


Deaths Attributable to P&I - Maine, 2017-19




^{*}This number represents the number of individuals who had influenza specifically listed on their death certificate. This is likely an underrepresentation of the true burden, as many influenza-associated deaths are due to secondary infections. This is why Maine CDC reports Pneumonia and Influenza (P&I) deaths.


Lab Data - Maine, 2018-2019 Influenza Season

- # of samples tested at HETL: 3
 - o # positive: 0
 - o % positive: 0
- # of samples tested at Maine Reference Labs: 186
 - # positive: 0% positive: 0
- # of samples positive by rapid antigen test: 2










Cumulative Influenza Positive Tests by Strain, HETL - Maine, 2018-19



Antiviral Resistance - Maine, 2018-19 Influenza Season


- # of Influenza A (pH1N1) samples tested for Tamiflu resistance at HETL: 0
 - o # with resistance: 0
- # of Influenza A (H3) samples tested for Tamiflu resistance at HETL: 0
 - o # with resistance: 0

Geographic Distribution of Lab Tests, Maine 2018-19*

2010-19								
	Positiv	e labs	Hospitalizations					
County	Tested this week	Total	New this week	Total				
Androscoggin	0	2	0	1				
Aroostook	0	1	0	0				
Cumberland	1	10	0	1				
Franklin	0	3	0	0				
Hancock	0	0	0	0				
Kennebec	0	1	0	0				
Knox	0	1	0	0				
Lincoln	0	1	0	0				
Oxford	0	0	0	0				
Penobscot	0	6	0	1				
Piscataquis	0	0	0	0				
Sagadahoc	0	0	0	0				
Somerset	1	1	0	0				
Waldo	0	0	0	0				
Washington	0	0	0	0				
York	0	5	0	1				
Total	2	31	0	4				

^{*}Only reported PCR, culture, and rapid antigen tests are included in the chart and map.


Positive Influenza Tests, Maine 2018-19



Age Information – Maine, 2018-19 Influenza Season

	Cases	Hospitalizations	Deaths	
Minimum Age	1 year	43 years	NA	
Mean Age	39 years	52 years	NA	
Maximum Age	90 years	72 years	NA	

Positive Influenza Tests by Age - Maine, 2018-19




Antigenic Characterization (Vaccine Strain Match)

- Federal CDC has antigenically or genetically characterized 242 influenza viruses from May 20 November 3, 2018.
 - o 100% of influenza A/H1N1 samples match the vaccine strain
 - o 90.7% of influenza A/H3N2 samples match the vaccine strain
 - o 90.0% of influenza B/Victoria samples match the vaccine strain
 - o 100% of influenza B/Yamagata samples match the vaccine strain
- Antigenic characterization shows if the circulating strains are the same strains that were used to make the vaccine. This does not tell you how effective the vaccine is at creating an immune response.

Influenza-Like Illness Outbreaks – Maine, 2018-19 Influenza Season

- # new outbreaks: 0
- Total outbreaks 2018-19 season: 0

Influenza-Like Illness Outbreaks by Facility Type - Maine, 2018-19



Outbreak Facility Type Key:

LTC - Long Term Care Facility

AC - Acute Care Facility (nosocomial)

K12 - School (K-12) or daycare

Univ - School (residential) or University

HCW - Health care workers

 $Inst-Other\ institutions\ (workplaces,$

correctional facilities etc)

Camp - Camp

Influenza-Like Illness Outbreak by Facility Type and County - Maine, 2018-19

mnucnza-Like	TITIE SS	outoi cu	n Dy I a	cinity is	pe ana v	Country	1VIUIIIC,	, 2 010-1,
County	LTC	AC	K12	Univ	HCW	Inst	Camp	Total
Androscoggin	0	0	0	0	0	0	0	0
Aroostook	0	0	0	0	0	0	0	0
Cumberland	0	0	0	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0
Hancock	0	0	0	0	0	0	0	0
Kennebec	0	0	0	0	0	0	0	0
Knox	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0
Oxford	0	0	0	0	0	0	0	0
Penobscot	0	0	0	0	0	0	0	0
Piscataquis	0	0	0	0	0	0	0	0
Sagadahoc	0	0	0	0	0	0	0	0
Somerset	0	0	0	0	0	0	0	0
Waldo	0	0	0	0	0	0	0	0
Washington	0	0	0	0	0	0	0	0
York	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0






A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists*

Week Ending Nov 03, 2018 - Week 44






A Weekly Influenza Surveillance Report Prepared by the Influenza Division Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet







^{*}This map uses the proportion of outpatient visits to healthcare providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.

"Data collected in ILINet may disproportionately represent certain populations within a state, and therefore may not accurately depict the full picture of influenza activity for the whole state.

"Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.

"Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete.

"For the data download you can use Activity Level for the number and Activity Level Label for the text description.

^{*}This map indicates geographic spread and does not measure the severity of influenza activity.